

Page 1/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name MC-Fastpack 1264 compact - Komponente A

· Article number: 2866

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Epoxy resin Injektion

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: Technische Abteilung

msds@mc-bauchemie.de

· 1.4 Emergency telephone

**number:** Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS07 GHS09





### Safety data sheet according to 1907/2006/EC, Article 31

Revision: 06.11.2018 Printing date 06.11.2018

### Trade name MC-Fastpack 1264 compact - Komponente A

(Contd. of page 1)

Page 2/10

· Signal word

Warning

P261

· Hazard-determining

components of labelling:

Propyl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

epoxide derivates

1,6-hexene-diglycidylether

· Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/

attention.

· Additional information:

· 2.3 Other hazards

Contains epoxy constituents. May produce an allergic reaction.

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Resin mixture with colouring agents.

Mixture consisting of the following components.

· Dangerous components:		
CAS: 25068-38-6 NLP: 500-033-5 Reg.nr.: 01-2119456619-26-0002	Propyl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	70-100%
CAS: 100-51-6 EINECS: 202-859-9 Reg.nr.: 01-2119492630-38	Benzyl alcohol Acute Tox. 4, H302; Acute Tox. 4, H332	<25%
CAS: 68609-97-2 EINECS: 271-846-8	oxirane, mono[(C12-14-alkyloxy)methyl] derivs. Skin Irrit. 2, H315; Skin Sens. 1, H317	≥10-<25%
CAS: 9003-36-5 NLP: 500-006-8	epoxide derivates Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	≥2.5-<10%

(Contd. on page 3)



Page 3/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

### Trade name MC-Fastpack 1264 compact - Komponente A

(Contd. of page 2)

CAS: 16096-31-4 1,6-hexene-diglycidylether

≥1-<2.5%

EINECS: 240-260-4

Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1,

H317; Aquatic Chronic 3, H412

• Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· **After inhalation** Supply fresh air.

After skin contact
 After eye contact
 Instantly wash with water and soap and rinse thoroughly.
 Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

· 4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

#### SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

 5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

· **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

**emergency procedures** Not required.

6.2 Environmental

precautions: Prevent material from reaching sewage system, holes and cellars.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Page 4/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

Trade name MC-Fastpack 1264 compact - Komponente A

(Contd. of page 3)

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe

**handling** Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

**storerooms and containers:** No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

**storage conditions:** Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· 8.1 Control parameters · Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

### · DNELs

### 25068-38-6 Propyl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues

Oral DNEL 0.75 mg/kg bw/Tag (General) (Kurzfristig und Langfristig Systemisch)
Dermal DNEL 3.6 mg/kg bw/day (General) (Kurzfristig und Langfristig Systemisch)

8.3 mg/kg bw/day (Workers) (Kurzfristig und Langfristig Systemisch)

Inhalative DNEL 0.75 mg/m³ (General) (Kurzfristig und Langfristig Systemisch)

12.3 mg/m³ (Workers) (Kurzfristig und Langfristig Systemisch)

#### · PNECs

### 25068-38-6 Propyl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues

PNEC 3 µg/l (Fresh water)

0.3 µg/l (Marine)

PNEC 10 mg/l (Sewage Treatment Plant)

PNEC 0.5 mg/kg dwt (Marine water sediment)

0.05 mg/kg dwt (Sediment)

0.5 mg/kg dwt (Fresh water sediment)

(Contd. on page 5)



Page 5/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

### Trade name MC-Fastpack 1264 compact - Komponente A

(Contd. of page 4)

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics. The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

· Material of gloves

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

· Body protection: Protective work clothing.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Transparent
Smell: Characteristic

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 205 °C

· Flash point: > 110 °C
· Ignition temperature: 184 °C

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 0.1 hPa

· Density at 20 °C 1.12 g/cm³

(Contd. on page 6)



Page 6/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

### Trade name MC-Fastpack 1264 compact - Komponente A

(Contd. of page 5)

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

• 9.2 Other information No further relevant information available.

### SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

#### 25068-38-6 Propyl -2,2-diphenyl-4,4'dipropyloxirane polymers and homologues

 Oral
 LD50
 30,000 mg/kg (Ratte)

 Dermal
 LD50
 >2,000 mg/kg (kan)

68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Oral LD50 17,100 mg/kg (Ratte)

9003-36-5 epoxide derivates

Oral LD50 23,800 mg/kg (Ratte)
Dermal LD50 >2,000 mg/kg (kan)

#### 16096-31-4 1,6-hexene-diglycidylether

Oral LD50 8,500 mg/kg (Ratte)
Dermal LD50 >4,900 mg/kg (Ratte)

· Primary irritant effect:

Skin corrosion/irritation
 Serious eye damage/irritation
 Causes skin irritation.
 Causes serious eye irritation.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

### Trade name MC-Fastpack 1264 compact - Komponente A

(Contd. of page 6)

· STOT-repeated exposure · Aspiration hazard

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

Additional ecological information:

• General notes: Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES,

SEALANTS AND PRINTING INKS

08 01 00 wastes from MFSU and removal of paint and varnish

08 01 11 waste paint and varnish containing organic solvents or other dangerous substances

· Uncleaned packagings:

Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

### SECTION 14: Transport information

· 14.1 UN-Number

· ADR, IMDG, IATA UN3082

(Contd. on page 8)





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

### Trade name MC-Fastpack 1264 compact - Komponente A

	(Contd. of page
· 14.2 UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (epoxide derivates)
· IMDG	ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (epoxide derivates MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (epoxide derivates)
14.3 Transport hazard class(es)	
· ADR	
· Class	9 (M6) Miscellaneous dangerous substances an articles.
Label	9
· IMDG, IATA	
Class	9 Miscellaneous dangerous substances ar articles.
Label	9
· 14.4 Packing group	
ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	
Marine pollutant:	Yes
One statement in a (ADD)	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substance and articles.
Kemler Number:	90
EMS Number:	F-A,S-F
Stowage Category	A
· 14.7 Transport in bulk according to An of Marpol and the IBC Code	<b>nex II</b> Not applicable.
Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100
Transport category	ml 3
Tunnel restriction code	E
	(Contd. on page

(Contd. on page 9)



Page 9/10

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

Trade name MC-Fastpack 1264 compact - Komponente A

(Contd. of page 8)

·IMDG

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000

ml

· UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (EPOXIDE

DERIVATES), 9, III

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Qualifying quantity (tonnes) for the application of lower-

tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-

tier requirements 500 t

REGULATION (EC) No

1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

· Department issuing data

**specification sheet:** Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods

by Road)

(Contd. on page 10)



Page 10/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

### Trade name MC-Fastpack 1264 compact - Komponente A

(Contd. of page 9)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 3

\* Data compared to the previous version altered.

GR