

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018	Revision: 06.11.2018
SECTION 1: Identificati undertaking	ion of the substance/mixture and of the company/
· 1.1 Product identifier	
· Trade name	MC-Injekt 2300 rapid - Komponente B
 Article number: 1.2 Relevant identified uses of the substance or mixture 	3667
and uses advised against • Application of the substance	No further relevant information available.
/ the mixture	Polyurethane resin Injektion
• 1.3 Details of the supplier of t • Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG
	Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
· Informing department:	Technische Abteilung msds@mc-bauchemie.de
[.] 1.4 Emergency telephone number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565
SECTION 2: Hazards ide	ntification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer. STOT SE 3 H335 May cause respiratory irritation. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Trade name MC-Injekt 2300 rapid - Komponente B

lazard pictograms		(Contd. of page 1)		
	GHS07 GHS	08		
Signal word	Danger			
Hazard-determining				
components of labelling:	diphenylmethar	e-4,4'-di-isocyanante		
Hazard statements	H332 Harmful il			
	H315 Causes s			
		erious eye irritation.		
		se allergy or asthma symptoms or breathing		
		difficulties if inhaled. H317 May cause an allergic skin reaction.		
		d of causing cancer.		
		e respiratory irritation.		
		e damage to organs through prolonged or repeated		
Precautionary statements	P260	Do not breathe dust/fume/gas/mist/vapours/		
-		spray.		
	P280	Wear protective gloves/protective clothing/eye protection/face protection.		
	P284	[In case of inadequate ventilation] wear respiratory protection.		
	P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.		
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
Additional information: 2.3 Other hazards		nates. May produce an allergic reaction.		
Results of PBT and vPvB as				
PBT:	Not applicable.			
vPvB:	Not applicable.			

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description:

Active substance with propellant. Mixture consisting of the following components.

 Dangerous components: 		
EINECS: 202-966-0 Reg.nr.: 01-2119457014-47	diphenylmethane-4,4'-di-isocyanante Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	50-70%
	(Contd	. on page 3)

- GB



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Trade name MC-Injekt 2300 rapid - Komponente B

(Contd. of page 2)

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures		
· General information	Instantly remove any clothing soiled by the product.	
	Take affected persons into the open air.	
	Seek medical treatment.	
 After inhalation 	Supply fresh air.	
	Call a doctor immediately.	
 After skin contact 	Instantly wash with water and soap and rinse thoroughly.	
· After eye contact	Rinse opened eye for several minutes under running water. Seek medical treatment.	
• After swallowing	Call a doctor immediately.	
 4.2 Most important symptom and effects, both acute and 	ns	
delayed	No further relevant information available.	
4.3 Indication of any immediate medical attention	,	
and special treatment neede	d No further relevant information available.	

SECTION 5: Firefighting measures

• **5.1 Extinguishing media** • **Suitable extinguishing agents** CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

 5.2 Special hazards arising from the substance or 	
mixture	Can be released in case of fire
	Carbon monoxide (CO)
	Nitrogen oxides (NOx)
	Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:
	Hydrogen cyanide (HCN)
5.3 Advice for firefighters	
· Protective equipment:	Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Ensure adequate ventilation
	Use breathing protection against the effects of fumes/dust/aerosol.
· 6.2 Environmental	
precautions:	Prevent material from reaching sewage system, holes and cellars.
	(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

*

Revision: 06.11.2018

Trade name MC-Injekt 2300 rapid - Komponente B

	(Contd. of page 3		
• 6.3 Methods and material for			
	: Absorb with liquid-binding material (sand, diatomite, acid binders universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.		
[.] 6.4 Reference to other			
sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.		
SECTION 7: Handling an	d storage		
· 7.1 Precautions for safe			
handling	Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.		
 Information about protection against explosions and fires: 	No special measures required		
 Y.2 Conditions for safe storag Storage Requirements to be met by storerooms and containers: 	e, including any incompatibilities Store only in the original container.		
· Information about storage in			
one common storage facility:	Store away from foodstuffs.		
Further information about			
storage conditions: • 7.3 Specific end use(s)	Keep container tightly sealed. No further relevant information available.		
, ,,			
SECTION 8: Exposure co	ontrols/personal protection		
Additional information about			
design of technical systems:	No further data; see item 7.		
· 8.1 Control parameters			
· Components with critical valu	ies that require monitoring at the workplace:		
101-68-8 diphenylmethane-4,4'-di-isocyanante			
WEL Short-term value: 0.07 mg Long-term value: 0.02 mg Sen; as -NCO			
· Additional information:	The lists that were valid during the compilation were used as basis		
 8.2 Exposure controls Personal protective equipmen General protective and 	nt		
hygienic measures	Keep away from foodstuffs, beverages and food.		
	Instantly remove any soiled and impregnated garments.		
	Wash hands during breaks and at the end of the work.		

Do not eat, drink or smoke while working.



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Trade name MC-Injekt 2300 rapid - Komponente B

Des di internatione de	(Contd. of page 4)
· Breathing equipment:	Short term filter device: In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
• Protection of hands:	Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics.
· Material of gloves	Butyl rubber, BR Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 Penetration time of glove 	
material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
• Eye protection:	Safety glasses Tightly sealed safety glasses.
· Body protection:	Protective work clothing.

SECTION 9: Physical and chemical properties

Appearance:		
Form:	Fluid	
Colour:	Dark brown	
Smell:	Characteristic	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling ra	nge: 351 °C	
Flash point:	> 110 °C	
Ignition temperature:	400 °C	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Density at 20 °C	1.09 g/cm³	
Solubility in / Miscibility with		
Water:	Hydrolized	
Viscosity:		
kinematic at 20 °C:	14 s (DIN 53211/4 s beach)	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Page 6/9

Trade name MC-Injekt 2300 rapid - Komponente B

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available. · 10.2 Chemical stability · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. 10.3 Possibility of hazardous reactions Reacts with amines · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available. · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Harmful if inhaled.

· LD/LC50 values that are relevant for classification:

101-68-8 diphenylmethane-4,4'-di-isocyanante

Oral LD50 >2,000 mg/kg (Ratte)

Dermal LD50 >9,400 mg/kg (Kaninchen)

Primary irritant effect:

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation
 May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
 CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 Germ cell mutagenicity
 Description provided at a symptom of the symp
- Carcinogenicity
 Suspected of causing cancer.
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 May cause damage to organs through prolonged or repeated

exposure.

· Aspiration hazard

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

No further relevant information available.

Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

(Contd. of page 5)

··· • ·· ·· ·· ··



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Trade name MC-Injekt 2300 rapid - Komponente B

	(Contd. of page 6)		
 12.2 Persistence and 			
degradability	No further relevant information available.		
· 12.3 Bioaccumulative			
potential	No further relevant information available.		
· 12.4 Mobility in soil	No further relevant information available.		
· Additional ecological inform	Additional ecological information:		
· General notes:	Do not allow product to reach ground water, water bodies or sewage system.		
	Danger to drinking water if even small quantities leak into soil.		
12.5 Results of PBT and vPvB assessment			
· PBT:	Not applicable.		
· vPvB:	Not applicable.		
[.] 12.6 Other adverse effects	No further relevant information available.		

SECTION 13: Disposal considerations

13.1	Waste	treatment	methods
13.1	vvas ie	ueaunem	memous

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Europea	· European waste catalogue		
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS		
08 01 00	wastes from MFSU and removal of paint and varnish		
08 01 11	waste paint and varnish containing organic solvents or other dangerous substances		

• Uncleaned packagings: • Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Trade name MC-Injekt 2300 rapid - Komponente B

	(Contd. of page 7)
No	
Not applicable.	
ex II	
Not applicable.	
Void	
	Not applicable. ex II Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- REGULATION (EC) No 1907/2006 ANNEX XVII
- 15.2 Chemical safety assessment:

Conditions of restriction: 3, 56a

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure.
 Department issuing data specification sheet: Abbreviations and acronyms: 	Environment protection department. RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent (Contd. on page 9)

- GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Trade name MC-Injekt 2300 rapid - Komponente B

(Contd. of page 8)

Page 9/9

	(Conto, or page of)
	PBT: Persistent, Bioaccumulative and Toxic	
	vPvB: very Persistent and very Bioaccumulative	
	Acute Tox. 4: Acute toxicity – Category 4	
	Skin Irrit. 2: Skin corrosion/irritation – Category 2	
	Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
	Resp. Sens. 1: Respiratory sensitisation – Category 1	
	Skin Sens. 1: Skin sensitisation – Category 1	
	Carc. 2: Carcinogenicity – Category 2	
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
o the		
ltered.		

• * Data compared to the previous version altered.

GB