

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name MC-Injekt 2700 L - Komponente B

· Article number: 475

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Injektion

Polyurethane resin

Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department: Technische Abteilung

msds@mc-bauchemie.de

· 1.4 Emergency telephone

number: Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.
Carc. 2 H351 Suspected of causing cancer.
STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Page 2/8

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

Trade name MC-Injekt 2700 L - Komponente B

· Hazard pictograms

GHS07 GHS08

· Signal word Danger

· Hazard-determining

components of labelling: diphenylmethane-4,4'-di-isocyanante

· **Hazard statements** H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated

exposure.

• Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/

spray.

P280 Wear protective gloves/protective clothing/eye

protection/face protection.

P284 [In case of inadequate ventilation] wear

respiratory protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P342+P311 If experiencing respiratory symptoms: Call a

POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container

tightly closed.

· Additional information: Contains isocyanates. May produce an allergic reaction.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Designation: 9016-87-9 diphenylmethanediisocyanate, isomeres and

homologues

· Identification number(s):

Index number: 615-005-01-6
3.2 Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

Trade name MC-Injekt 2700 L - Komponente B

(Contd. of page 2)

Dangerous components:

CAS: 101-68-8 diphenylmethane-4,4'-di-isocyanante

70-100%

EINECS: 202-966-0 Reg.nr.: 01-2119457014-47

Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319;

Skin Sens. 1, H317; STOT SE 3, H335

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation Supply fresh air; consult doctor in case of symptoms.
 After skin contact Instantly wash with water and soap and rinse thoroughly.
 After eye contact Rinse opened eye for several minutes under running water.

Call a doctor immediately.

· After swallowing Instantly call for doctor.

 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

· 4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or

mixture Can be released in case of fire

Carbon monoxide (CO) Nitrogen oxides (NOx) Hydrogen cyanide (HCN)

Under certain fire conditions, traces of other toxic gases cannot be

excluded.

· 5.3 Advice for firefighters

Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

Put on breathing apparatus.

· 6.2 Environmental precautions:

Prevent material from reaching sewage system, holes and cellars.

(Contd. on page 4)

- GE



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

Trade name MC-Injekt 2700 L - Komponente B

(Contd. of page 3)

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

101-68-8 diphenylmethane-4,4'-di-isocyanante

WEL Short-term value: 0.07 mg/m³

Long-term value: 0.02 mg/m³

Sen; as -NCO

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

Personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

(Contd. on page 5)





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

Trade name MC-Injekt 2700 L - Komponente B

(Contd. of page 4)

• Breathing equipment: Only during spraying without adequate removal by suction.

Short term filter device:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Dark brown
Smell: Characteristic

Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 190 °C

· Flash point: 201 °C

· Ignition temperature: 400 °C

• Explosive properties: Product is not explosive.

· Steam pressure at 25 °C: 0.0002 hPa

Density at 20 °C 1.22 g/cm³

· Solubility in / Miscibility with

Water: Hydrolized

Not miscible or difficult to mix

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

Trade name MC-Injekt 2700 L - Komponente B

(Contd. of page 5)

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions Reacts with amines

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on toxicological effects

· Acute toxicity Harmful if inhaled.

· LD/LC50 values that are relevant for classification:

101-68-8 diphenylmethane-4,4'-di-isocyanante

Oral LD50 >2,000 mg/kg (Ratte)
Dermal LD50 >9,400 mg/kg (Kaninchen)

Primary irritant effect:

• Skin corrosion/irritation Causes skin irritation.
• Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin

sensitisation May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

May cause an allergic skin reaction.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Suspected of causing cancer.

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure May cause damage to organs through prolonged or repeated

exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

Trade name MC-Injekt 2700 L - Komponente B

(Contd. of page 6)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
 No further relevant information available.
 12.4 Mobility in soil
 No further relevant information available.

· Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

SECTION 14: Transport Information	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void

14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code Not applicable.

**UN "Model Regulation": Void

GB



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018 Revision: 06.11.2018

Trade name MC-Injekt 2700 L - Komponente B

(Contd. of page 7)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or

REGULATION (EC) No 1907/2006 ANNEX XVII

Conditions of restriction: 3, 56a

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated

exposure.

· Department issuing data

specification sheet: Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods

by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eve Irrit. 2: Serious eve damage/eve irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

* Data compared to the previous version altered.