



BE SURE. BUILD SURE.

Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2019

Revision: 19.01.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Trade name **MC-MONTAN INJEKT TR-X - Komponente A 2**
- CAS Number: 2867-47-2
- EC number: 220-688-8
- Index number: 607-132-00-3
- Registration number 01-2119474677-22

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Application of the substance / the mixture

Construction chemicals

#### 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

- Informing department: Technische Abteilung  
msds@mc-bauchemie.de

#### 1.4 Emergency telephone number:

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +48612864565

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

#### 2.2 Label elements

##### Labelling according to

Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

GB



BE SURE. BUILD SURE.

Page 2/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2019

Revision: 19.01.2019

Trade name MC-MONTAN INJEKT TR-X - Komponente A 2

(Contd. of page 1)

· **Hazard pictograms**



GHS05 GHS07

· **Signal word**

Danger

· **Hazard-determining components of labelling:**  
· **Hazard statements**

2-dimethylaminoethyl methacrylate  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.

· **Precautionary statements**

P260 Do not breathe dusts or mists.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see on this label).  
P362+P364 Take off contaminated clothing and wash it before reuse.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.  
· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· **3.1 Chemical characterisation: Substances**

· **CAS No. Designation:** 2867-47-2 2-dimethylaminoethyl methacrylate  
· **Identification number(s):**  
· **EC number:** 220-688-8  
· **Index number:** 607-132-00-3

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information** Instantly remove any clothing soiled by the product.  
Take affected persons into the open air.  
· **After inhalation** Supply fresh air and call for doctor for safety reasons.  
· **After skin contact** Instantly wash with water and soap and rinse thoroughly.  
· **After eye contact** Rinse opened eye for several minutes under running water.  
Call a doctor immediately.

(Contd. on page 3)

GB



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.01.2019

Revision: 19.01.2019

Trade name MC-MONTAN INJEKT TR-X - Komponente A 2

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

\* **SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.

\* **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **6.2 Environmental precautions:** Prevent material from reaching sewage system, holes and cellars. Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

\* **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Rust and any other oxydative pollutions may lead to the polymerisation of component A 2.

(Contd. on page 4)



BE SURE. BUILD SURE.

Page 4/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2019

Revision: 19.01.2019

Trade name MC-MONTAN INJEKT TR-X - Komponente A 2

(Contd. of page 3)

- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.  
Filter A2-P3
- **Protection of hands:** Protective gloves.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves** Nitrile rubber, NBR  
Butyl rubber, BR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

GB



BE SURE. BUILD SURE.

Page 5/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2019

Revision: 19.01.2019

Trade name MC-MONTAN INJEKT TR-X - Komponente A 2

(Contd. of page 4)

- **Eye protection:** Tightly sealed safety glasses.
- **Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

· <b>Form:</b>	Fluid
· <b>Colour:</b>	Light yellow
· <b>Smell:</b>	Ammonia-like

· **pH-value:** 9.95

##### · Change in condition

· <b>Melting point/freezing point:</b>	- 50 °C
· <b>Initial boiling point and boiling range:</b>	182 °C

· **Flash point:** 70 °C

· **Ignition temperature:** 255 °C

· **Explosive properties:** Product is not explosive.

##### · Critical values for explosion:

· **Lower:** 1.2 Vol %

· **Steam pressure at 20 °C:** 1 hPa

· **Density at 20 °C** 0.933 g/cm<sup>3</sup>

##### · Solubility in / Miscibility with

· **Water at 20 °C:** 106 g/l

##### · Viscosity:

· **dynamic at 20 °C:** 2 mPas

· **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

##### · 10.2 Chemical stability

##### · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

##### · 10.3 Possibility of hazardous reactions

No dangerous reactions known

##### · 10.4 Conditions to avoid

No further relevant information available.

##### · 10.5 Incompatible materials:

No further relevant information available.

(Contd. on page 6)

GB



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.01.2019

Revision: 19.01.2019

**Trade name MC-MONTAN INJEKT TR-X - Komponente A 2**

(Contd. of page 5)

- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** Harmful if swallowed.  
Harmful in contact with skin.

· **LD/LC50 values that are relevant for classification:**

**2867-47-2 2-dimethylaminoethyl methacrylate**

Oral	LD50	<2,000 mg/kg (Ratte)
	NOAEL	200 mg/kg (Ratte)
Dermal	LD50	<2,000 mg/kg (Ratte)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes severe skin burns and eye damage.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability**
  - Biodegradability:
  - Result: 95,3%
  - Method: (OECD 301 E, 84/449/EWG Teil C.3, 28d)
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
  - Toxicity to fish:
  - LC50 *Oryzias latipes*: 19,1 mg/l / 96h Method: OECD 203
  - LC0 *Oryzias latipes*: 1,36 mg/l / 14d Method: OECD 204
  - Toxicity to daphnia:
  - EC50 *Daphnia magna*: 33 mg/l / 48h Method: OECD 202
  - Toxicity to algae:
  - EC50 *Selenastrum capricornutum*: 41,6 mg/l / 72h Method: OECD 201

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2019

Revision: 19.01.2019

Trade name MC-MONTAN INJEKT TR-X - Komponente A 2

(Contd. of page 6)

- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

#### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
The already polymerised product MC-Injekt GL 95 can be disposed off with household garbage.

· **European waste catalogue**

07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 02 00	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 04	other organic solvents, washing liquids and mother liquors

- **Uncleaned packagings:**
- **Recommendation:** Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

#### SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN2522
- **14.2 UN proper shipping name**
- **ADR** 2 5 2 2 2 - DIMETHYLAMINOETHYL METHACRYLATE
- **IMDG, IATA** 2-DIMETHYLAMINOETHYL METHACRYLATE
- **14.3 Transport hazard class(es)**
- **ADR**
- **Class** 6.1 (T1) Toxic substances.
- **Label** 6.1
- **IMDG, IATA**
- **Class** 6.1 Toxic substances.
- **Label** 6.1

(Contd. on page 8)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2019

Revision: 19.01.2019

Trade name MC-MONTAN INJEKT TR-X - Komponente A 2

(Contd. of page 7)

· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Kemler Number: · EMS Number: · Stowage Category · Stowage Code	Warning: Toxic substances. 69 F-A, S-A D SW2 Clear of living quarters.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	100 ml Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· Transport category · Tunnel restriction code	2 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	100 ml Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2522 2-DIMETHYLAMINOETHYL METHACRYLATE, 6.1, II

#### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing data specification sheet: Environment protection department.

(Contd. on page 9)





BE SURE. BUILD SURE.

Page 9/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2019

Revision: 19.01.2019

**Trade name MC-MONTAN INJEKT TR-X - Komponente A 2**

(Contd. of page 8)

- **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Sens. 1: Skin sensitisation – Category 1

- \* **Data compared to the previous version altered.**

GB