

Page 1/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

1.1 Product identifier	
Trade name	ombran MHP rapid
Article number: 1.2 Relevant identified uses of the substance or mixture	3442
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Repair mortar
1.3 Details of the supplier of the	
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8 D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510
	Fax : +44-7400533
Informing department:	Technische Abteilung msds@mc-bauchemie.de
1.4 Emergency telephone	
number:	Tel.: +49 / (0)700 24112112 (MCR)
	Tel.: +48612864565
AFATION A US AND SHE	
<b>SECTION 2: Hazards idea</b>	ntification
2.1 Classification of the subst	ance or mixture
2.1 Classification of the subst Classification according to Re	ance or mixture egulation (EC) No 1272/2008
<b>2.1 Classification of the subst</b> <b>Classification according to Re</b> Skin Irrit. 2 H315 Causes skin	ance or mixture egulation (EC) No 1272/2008 irritation.
2.1 Classification of the subst Classification according to Re	ance or mixture egulation (EC) No 1272/2008 irritation.
<b>2.1 Classification of the subst</b> <b>Classification according to Re</b> Skin Irrit. 2 H315 Causes skin	ance or mixture egulation (EC) No 1272/2008 irritation. ous eye damage.
<b>2.1 Classification of the subst</b> <b>Classification according to Re</b> Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serie STOT SE 3 H335 May cause r	ance or mixture egulation (EC) No 1272/2008 irritation. ous eye damage.
2.1 Classification of the subst Classification according to Re Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serie STOT SE 3 H335 May cause r 2.2 Label elements	ance or mixture egulation (EC) No 1272/2008 irritation. ous eye damage.
2.1 Classification of the subst Classification according to Re Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serie STOT SE 3 H335 May cause r 2.2 Label elements Labelling according to	ance or mixture egulation (EC) No 1272/2008 irritation. ous eye damage.
2.1 Classification of the subst Classification according to Re Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serie STOT SE 3 H335 May cause r 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	ance or mixture egulation (EC) No 1272/2008 irritation. ous eye damage. respiratory irritation. The product is classified and labelled according to the CI
2.1 Classification of the subst Classification according to Re Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serie STOT SE 3 H335 May cause r 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	ance or mixture egulation (EC) No 1272/2008 irritation. ous eye damage. respiratory irritation. The product is classified and labelled according to the CI
2.1 Classification of the subst Classification according to Re Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serie STOT SE 3 H335 May cause r 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	ance or mixture egulation (EC) No 1272/2008 irritation. ous eye damage. respiratory irritation. The product is classified and labelled according to the CI
2.1 Classification of the subst Classification according to Re Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serie STOT SE 3 H335 May cause r 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	ance or mixture egulation (EC) No 1272/2008 irritation. ous eye damage. respiratory irritation. The product is classified and labelled according to the Cl regulation.
2.1 Classification of the subst Classification according to Re Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes serie STOT SE 3 H335 May cause r 2.2 Label elements Labelling according to	ance or mixture egulation (EC) No 1272/2008 irritation. ous eye damage. respiratory irritation. The product is classified and labelled according to the C



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Page 2/7

Trade name ombran MHP rapid

		(Contd. of page 1)
Hazard-determining		
components of labelling:	Cement, portlan	id, chemicals
	Cr(VI)<2ppm	
Hazard statements	H315 Causes si	
		erious eye damage.
	H335 May caus	e respiratory irritation.
Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/
		spray.
	P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it
		before reuse.
	P403+P233	Store in a well-ventilated place. Keep container
		tightly closed.
2.3 Other hazards		
Results of PBT and vPvB as	sessment	
PBT:	Not applicable.	
vPvB:	Not applicable.	

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture consisting of the following components.

· Dangerous components:		
CAS: 65997-15-1	Cement, portland, chemicals	25-50%
EINECS: 266-043-4	-4 Cr(VI)<2ppm	
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
· Additional informat	tion For the wording of the listed hazard phrases refer to section	on 16.

# **SECTION 4: First aid measures**

<ul> <li>After inhalation</li> </ul>	Supply fresh air.
	In case of unconsciousness bring patient into stable side position
	for transport.
· After skin contact	Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Seek medical treatment.
-	Rinse opened eye for several minutes under running water. Then consult a doctor.
· After swallowing	Rinse out mouth and then drink plenty of water.
5	Seek medical treatment.
	(Contd. on page 3)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Trade name ombran MHP rapid

(Contd. of page 2)

GB

Page 3/7

• 4.2 Most important symptoms and effects, both acute and delayed No further re

No further relevant information available.

 • 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## SECTION 5: Firefighting measures

5.1 Extinguishing media
 Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
 5.2 Special hazards arising from the substance or mixture No further relevant information available.
 5.3 Advice for firefighters
 Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and	
emergency procedures	Not required.
6.2 Environmental	
precautions:	No special measures required.
<sup>•</sup> 6.3 Methods and material for	
containment and cleaning up:	Collect mechanically.
6.4 Reference to other	······································
sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

### SECTION 7: Handling and storage

<ul> <li>7.1 Precautions for safe handling</li> <li>Information about protection against explosions and fires:</li> </ul>	Prevent formation of dust. No special measures required.	
<ul> <li>Storage</li> <li>Requirements to be met by storerooms and containers:</li> <li>Information about storage in one common storage facility:</li> <li>Further information about</li> </ul>		
storage conditions:	NONE.	(Contd. on page 4)



Page 4/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Trade name ombran MHP rapid

• 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

SECTION 8: Exposure	controls/personal protection
Additional information abo	
	s: No further data; see item 7.
8.1 Control parameters	
•	alues that require monitoring at the workplace:
65997-15-1 Cement, portlar Cr(VI)<2ppm	
WEL Long-term value: 10* 4 *inhalable dust **respir	
Additional information:	The lists that were valid during the compilation were used as basi
8.2 Exposure controls	
Personal protective equipm	nent
General protective and	
hygienic measures	Keep away from foodstuffs, beverages and food.
	Instantly remove any soiled and impregnated garments.
	Wash hands during breaks and at the end of the work. Avoid contact with the skin.
	Avoid contact with the eyes and skin.
Breathing equipment:	In case of brief exposure or low pollution use breathing filt
breathing equipment.	apparatus. In case of intensive or longer exposure use breathing int
	apparatus that is independent of circulating air.
Protection of hands:	Protective gloves.
	Selection of the glove material on consideration of the penetration
	times, rates of diffusion and the degradation
	After use of gloves apply skin-cleaning agents and skin cosmetics
Material of gloves	Strong gloves
	The selection of the suitable gloves does not only depend on t
	material, but also on further marks of quality and varies fro
	manufacturer to manufacturer. As the product is a preparation
	several substances, the resistance of the glove material can not a calculated in advance and has therefore to be checked prior to t
	application.
Penetration time of glove	
material	The exact break trough time has to be found out by the
	manufacturer of the protective gloves and has to be observed.
Eye protection:	Safety glasses
	Tightly sealed safety glasses.
Body protection:	Protective work clothing.

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Trade name ombran MHP rapid

(Contd. of page 4)

Page 5/7

General Information	and chemical properties
Appearance:	
Form:	Powder
Colour:	Grey
Smell:	Odourless
pH-value:	10-12
Change in condition Melting point/freezing point: Initial boiling point and boiling ra	Not determined ange: 2230 °C
Flash point:	Not applicable
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Density	Not determined
Solubility in / Miscibility with	
Water:	Unsoluble

#### SECTION 10: Stability and reactivity

No further relevant information available.
No decomposition if used according to specifications.
No dangerous reactions known
No further relevant information available.
No further relevant information available.
No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin
- sensitisation Based on available data, the classification criteria are not met. • CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity
  - Based on available data, the classification criteria are not met.

(Contd. on page 6)

<sup>-</sup> GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

#### Trade name ombran MHP rapid

(Contd. of page 5)

Page 6/7

Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

<ul> <li>12.1 Toxicity</li> <li>Aquatic toxicity:</li> <li>12.2 Persistence and</li> </ul>	No further relevant information available.	
degradability • 12.3 Bioaccumulative	No further relevant information available.	
potential	No further relevant information available.	
<ul> <li>12.4 Mobility in soil</li> </ul>	No further relevant information available.	
· Additional ecological information:		
· General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.	
12.5 Results of PBT and vPvB assessment		
· PBT:	Not applicable.	
· vPvB:	Not applicable.	
12.6 Other adverse effects	No further relevant information available.	

**SECTION 13: Disposal considerations** 

• 13.1 Waste treatment methods
 • Recommendation
 • Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 • Uncleaned packagings:
 • Recommendation:
 Empty contaminated packagings thoroughly. They can be recycled

• **Recommendation:** Empty contaminated packagings thoroughly. They can after thorough and proper cleaning.

#### SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· ADR, ADN, IMDG, IATA · Class	Void	
		(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 06.11.2018

Trade name ombran MHP rapid

	(Contd. of page 6)	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
• 14.6 Special precautions for user	Not applicable.	
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	Void	

### **SECTION 15: Regulatory information**

 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
<ul> <li>Department issuing data specification sheet:</li> <li>Abbreviations and acronyms:</li> <li>Abbreviations and acronyms:</li> <li>* Data compared to the previous version altered.</li> </ul>	dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Page 7/7

page (